


Handling Tools
Dies & Inserts
Safety Products
Float Valves



drilling@psbvn.com

Whatsapp/Line/Zalo+ 84 89 6677 890



PRESSURE SYSTEM BUILDERS
PSBV
V I E T N A M



Pressure System Builders Vietnam
16 Yen The St., Ward 2, Tank Binh Dist.
Ho Chi Minh
Vietnam

August 5, 2024

Sales and Service representation letter

Keystone Energy Tools, LLC
3711 Melancon Road
Broussard, LA 70518

Hereinafter called Keystone, declare that:

Pressure System Builders Vietnam
16 Yen The St., Ward 2, Tank Binh Dist.
Ho Chi Minh
Vietnam


Hereinafter called Pressure System Builders Vietnam, is the authorized distributor for KET products across Southeast Asia.

Territory: Vietnam, Thailand, Malaysia, Brunei, Indonesia, The Philippines, Myanmar, Timor, Laos, Cambodia, India, and Singapore

The letter of representation comes into effect on the 5th of August 2024 and is valid for the duration of the distribution agreement in between Keystone Energy Tools and Pressure System Builders Vietnam.

Keystone Energy Tools

Stamp Keystone Energy Tools, LLC


Amanda Delahoussaye
President







bridge the gap.

Keystone

ENERGY TOOLS

PRODUCT CATALOG



Certificate of Authority to use the Official API Monogram

License Number: 8C-0195

ORIGINAL

The American Petroleum Institute hereby grants to

KEYSTONE ENERGY TOOLS
3711 Melancon Road
Broussard, LA
United States

the right to use the Official API Monogram® on manufactured products under the conditions in the official publications of the American Petroleum Institute entitled API Spec Q1® and **API-8C** and in accordance with the provisions of the License Agreement.

In all cases where the Official API Monogram is applied, the API Monogram shall be used in conjunction with this certificate number: **8C-0195**

The American Petroleum Institute reserves the right to revoke this authorization to use the Official API Monogram for any reason satisfactory to the Board of Directors of the American Petroleum Institute.

The scope of this license includes the following: Casing, Tubing, Drill Pipe and Drill Collar Elevators at PSL 1, PSL 2

QMS Exclusions: No Exclusions Identified as Applicable

Effective Date: JULY 5, 2022

Expiration Date: JULY 21, 2024

To verify the authenticity of this license, go to www.api.org/compositelist.

Senior Vice President of Global Industry Services

Anchal Liddar



®


**American
Petroleum
Institute**



2019 151 | Digital

KET TYPE “MP” SAFETY CLAMPS


The KET Type “MP” Safety Clamp is ideal to help safeguard against dropping strings of flush joint tubing while making up or breaking out the string. The multi-link design provides uniform pressure around the pipe reducing the risk of crushing or damaging the pipe. Each assembly is provided with its own aluminum box as a standard option.



KET TYPE “MP” SAFETY CLAMP ASSEMBLIES COMPLETE

PART NO.	RANGE	REF#	# LINKS	GRIPPING DIES	WT.
MP-S					
A31-009	2 7/8" - 4 1/8"	33030	7	8	128.00
A31-010	4" - 5"	33031	8	9	133.00
MP-R					
A31-011	4 1/2" - 5 5/8"	33011	7	8	120.00
A31-012	5 1/2" - 7"	33012	8	9	130.00
A31-013	6 3/4" - 8 1/4"	33013	9	10	138.00
A31-014	8" - 9 1/4"	33014	10	11	147.00
A31-015	9 1/4" - 10 1/2"	33015	11	12	155.00
MP-M					
A31-016	10 1/2" - 11 1/2"	33016	12	13	163.00
A31-017	11 1/2" - 12 1/2"	33017	13	14	171.00
A31-018	12 1/2" - 13 5/8"	33018	14	15	179.00
A31-019	13 5/8" - 14 3/4"	33019	15	16	187.00
A31-020	14 3/4" - 15 7/8"	31020	16	17	195.00
MP-L					
A31-021	15 7/8" - 17"	33021	17	18	215.00
A31-022	17" - 18 1/2"	33022	18	19	223.00
A31-023	18 1/8" - 19 3/8"	33023	19	20	231.00
MP-XL					
A31-024	19 3/8" - 20 3/8"	33024	19	20	280.00
A31-025	20 3/8" - 21 1/2"	33025	20	21	288.00
A31-032	21" - 22 5/8"	33032	21	22	296.00
A31-033	22 5/8" - 23 3/4"	33033	22	23	304.00
A31-034	23 3/4" - 24 7/8"	33034	23	24	312.00
A31-035	24 7/8" - 26"	33035	24	25	320.00
A31-036	26" - 27 1/8"	33036	25	26	328.00
A31-039	29 3/8" - 30 1/2"	33039	28	29	336.00

KET TYPE “MP” SAFETY CLAMPS



REPLACEMENT PARTS FOR KET “MP” TYPE SAFETY CLAMPS

PART NO.	ITEM#	DESCRIPTION	CLAMP TYPE	REF.#	QTY.	WT.
A31-335	1	LINK COMPLETE	MP-S ONLY	3335	AR	9.00
A31-319	1	LINK COMPLETE	ALL EXCEPT MP-S	3319	AR	8.75
A31-307	2	PIN, FOR LINK (w/COTTER)	ALL	3307	AR	.75
A31-306	3	LINK (W/COTTER)	ALL	3306	AR	4.50
A31-325	4	CARRIER ASSY. (w/DIE)	MP-S ONLY	3325	AR	3.00
A31-324	4	CARRIER ASSY. (w/DIE)	ALL EXCEPT MP-S	3324	AR	2.50
A31-333	5	DIE (w/COTTER)	MP-S ONLY	3333	AR	1.50
A31-310	5	DIE (w/COTTER)	ALL EXCEPT MP-S	3310	AR	1.00
A31-309	6	CARRIER (LESS DIE)	ALL	3309	AR	2.50
A31-311	7	SPRING	ALL	3311	AR	.10
A31-418	8	ROLL PIN (DIE KEEPER)	ALL	51604-18	AR	.10
A31-528	9	COTTER PIN (f/CARRIER)	ALL	51405-28	AR	.18
A31-318	10	SIDE BAR LINKS (PAIR)	ALL	3318	AR	2.50
A31-304	11	LATCH LINK	ALL EXCEPT MP-XL	3304	1	7.00
A31-321	11	LATCH LINK	MP-XL ONLY	3321	1	14.00
A31-308	12	PIN FOR SCREW, (w/COTTER)	ALL	3308	1	.50
A31-315	13	BUSHING F/SCREW PIN	ALL	3315	1	.33
A31-510		COTTER F/LINK PIN	ALL	51405-10	AR	.08
A31-302	14	SCREW	ALL	3302	1	5.25
A31-303	15	NUT F/ SCREW	ALL	2714	1	1.00
A31-714	16	THRUST WASHER	ALL	3303	1	3.50
A31-305	17	HANDLE	MP-S,MP-R, & MP-M	3305	2	4.50
A31-305	17	HANDLE	MP-L & MP-XL	3305	4	4.50
A31-316	N/P	HOLD DOWN LUG	ALL	3316	OPT.	5.75
A31-317	N/P	LIFTING EYE	ALL	3317	OPT.	4.75
A31-320	18	NUT WRENCH	ALL	3320	1	5.00

KET TYPE “MP” SAFETY CLAMPS

RECOMMENDED SPARE PARTS FOR 1 YEAR FOR “MP” TYPE CLAMPS

PART NO.	DESCRIPTION	MP -S	MP -R	MP -M	MP -L	MP -XL
A31-333	DIE W/COTTER	4				
A31-310	DIE W/COTTER		6	8	10	13
A31-311	SPRING	9	12	17	20	26
A31-528	PIN W/COTTER	4	6	8	10	13
A31-418	ROLL PIN	9	12	17	20	26

KET TYPE “C” SAFETY CLAMP

The KET Type “C” Safety Clamp is one of the most valuable tools on the Rig Floor. It helps guard against dropping flush-joint pipe, streamlined drill collars, etc. into the hole while making-up or breaking-out the string. Literally, it has dozens of money and time-saving applications in oilfield work, in addition to giving increased protection against fishing jobs.

The Safety Clamp consists of individual links, flexibly hinged together. Each link has a separate tapered slip which acts as a gripping member, much like a tapered rotary slip, and each slip is held in a retracted position on the taper by spring tension. When the clamp is tightened, each small slip takes a firm initial grip on the surface of the pipe. Should the pipe start to fall, or should load increase occur against the slips, the taper mounting causes each slip to wedge tighter against the surface of the pipe to increase the grip or lock the pipe against further movement.



CLAMPS WITH HANDLES & WRENCH

TYPE “CR” (SINGLE SCREW)

PART NO.	RANGE O.D. SIZE	REFERENCE	LINKS REQUIRED	WT.
A12-127	3 3/4" - 4 5/8"	7624-5007	7	46.00
A12-128	4 1/2" - 5 5/8"	7624-5008	8	55.00
A12-129	5 1/2" - 6 5/8"	7624-5009	9	60.00
A12-130	6 1/2" - 7 5/8"	7624-5010	10	64.00
A12-131	7 1/2" - 8 5/8"	7624-5011	11	69.00
A12-132	8 1/2" - 9 5/8"	7624-5012	12	73.00
A12-133	9 1/2" - 10 5/8"	7624-5013	13	78.00

TYPE “CL” (SINGLE SCREW)

PART NO.	RANGE O.D. SIZE	LINKS REQUIRED	WT.
A12-134	10 1/2" - 11 5/8"	14	72.00
A12-135	11 1/2" - 12 5/8"	15	77.00
A12-136	12 1/2" - 13 5/8"	16	82.00
A12-137	13 1/2" - 14 5/8"	17	87.00
A12-138	14 1/2" - 15 5/8"	18	92.00

KET TYPE "C" SAFETY CLAMP

TYPE "CXL" (DOUBLE SCREW)

PART NO.	RANGE O.D. SIZE	LINKS REQUIRED	WT.
A12-145	15 1/2" - 17"	18	114.00
A12-146	16 1/2" - 18"	19	119.00
A12-147	17 1/2" - 19"	20	124.00
A12-148	18 1/2" - 20"	21	129.00

CLAMPS WITH LIFTING CLEVIS- TYPE "CL" (SINGLE SCREW)


PART NO.	RANGE O.D. SIZE	LINKS REQUIRED	WT.
A12-150	10 1/2" - 11 5/8"	14	83.00
A12-151	11 1/2" - 12 5/8"	15	88.00
A12-152	12 1/2" - 13 5/8"	16	93.00
A12-153	13 1/2" - 14 5/8"	17	98.00
A12-154	14 1/2" - 15 5/8"	18	102.00

CLAMPS WITH LIFTING CLEVIS- TYPE "C X L" (DOUBLE SCREW)

PART NO.	RANGE O.D. SIZE	LINKS REQUIRED	WT.
A12-155	15 1/2" - 17"	18	117.00
A12-156	16 1/2" - 18"	19	121.00
A12-157	17 1/2" - 19"	20	126.00
A12-158	18 1/2" - 20"	21	131.00
A12-159	19 1/2" - 21"	22	133.00
A12-160	21 1/8" - 23"	24	136.00
A12-161	24 1/8" - 26"	27	140.00
A12-162	29 1/2" - 31"	32	152.00
A12-163	35 1/2" - 37"	38	164.00
A12-164	41 1/2" - 47"	44	181.00
ADD -"B" TO END OF PART # TO INCLUDE BOX			


SAFETY CLAMP CONVERSION KIT

The KET Clamp Conversion Kit A is designed to allow the end link pin to be removed from the screw to open the clamp. A special lock bushing and retainer added to the screw is designed to prevent the nut from backing off. The end link pin also includes a double lanyard for added support.



PART NO.	ITEM	DESCRIPTION	WT.
A12-100-A		SAFETY CLAMP CONVERSION KIT A	8.80
A11-111-S	1	SAFETY CLAMP SCREW, SPECIAL	4.50
A11-112	2	NUT FOR T & C SAFETY CLAMP	1.75
A11-111-LB	3	SAFETY CLAMP SCREW LOCK BUSHING	.30
A11-110-SD	4	END LINK PIN W/ CHAIN, CABLE, AND RETAINER	1.40
A11-117	5	HANDLE PIN WITH COTTER	.85

KET TYPE "C" SAFETY CLAMP



REPLACEMENT PARTS FOR TYPE "C" SAFETY CLAMPS

PART NO.	ITEM	DESCRIPTION	REF#	*SPARES	WT.
A11-111	1	SCREW	7624-A-5	1	4.00
A11-113	2	PIVOT BLOCK	7624-A-5000	1	1.50
A11-112	3	NUT	7624-B-5	1	1.50
A11-114	4	PIVOT BLOCK PIN	7624-D-5	2	.25
A11-119	5	PIVOT BLOCK PIN WRENCH	900533-12		.25
A11-115	6	NUT WRENCH	7624-A-25	1	3.50
A12-116	7	HANDLE		1 SET	3.00
A11-117	8	HANDLE LINK PIN w/COTTER	7624-G-5	AS REQ'D	.75
A11-107	9	COTTER f/ LINK PIN	900620-36		.01
A12-101	10	LINK ASSY. COMPLETE	7624-A-7		5.00
A12-102	11	LINK INTERMEDIATE	7624-A-1	1 SET	3.75
A12-103	12	INSERT	7624-A-4	1 SET	.60
A12-104	13	COTTER f/ INSERT	900620-36		.01
A12-105	14	SPRING f/ INSERT	7624-E-5	1 SET	.01
A11-110-R	15	END LINK PIN RETAINER		1	.18
A11-106	16	LINK PIN w/ COTTER	7624-C-5	1 SET	.70
A12-108	17	END LINK (SCREW)	7624-A-3	1	4.50
A12-109	18	END LINK (PIVOT BLOCK)	7624-A-24	1	3.50
A11-110-RA	19	END LINK RETAINER WITH CHAIN			.30
A11-110-2	20	END LINK PIN RETAINER W/ CHAIN AND HANDLE PIN			1.14
A11-110-1	21	END LINK PIN W/ CHAIN & RETAINER ASSEMBLY		1	2.24
A11-110-S	22	END LINK PIN W/ CHAIN & RETAINER	7624-F-5		1.40
A11-110-4	N/P	END LINK PIN W/ CABLE AND RETAINER			1.30
A11-110	23	END LINK PIN WITH CHAIN			1.22
A11-110-3	N/P	END LINK PIN WITH CABLE			1.12
A11-120	N/P	SAFETY CLAMP BOX			20.00
A12-119	N/P	LIFTING CLEVIS COMPLETE			11.50
A12-120	N/P	LIFTING CLEVIS ONLY			9.00
A12-121	N/P	BOLTS W/NUTS AND COTTERS			2.50

ALL PARTS ARE INTERCHANGEABLE WITH CORRESPONDING DESIGN TYPE "C" SAFETY CLAMPS

* RECOMMENDED SPARE PARTS FOR 1 YEARS SERVICE

INTENTIONALLY LEFT BLANK

KET TYPE “T” SAFETY CLAMP

The KET Type “T” Safety Clamp is designed for small diameter pipe 1 1/8” - 4 1/2” O.D. Each link changes the effective working range approximately 1” in diameter. For sizes larger than 4 1/2” O.D., the Type “C” Safety Clamp should be used.

The same positive automatic gripping principle is used as in the Type “C” Safety Clamp. It is ideal to help safeguard against dropping strings of flush joint tubing, to provide a shoulder to position strings of flush line pipe for welding, and many other Applications.




SAFETY CLAMP ASSEMBLIES COMPLETE - TYPE “T”

PART NO.	RANGE O.D. SIZE	REFERENCE	LINKS REQUIRED	WT.
A11-125	1 1/8” - 2”	7624-5103	4	35
A11-126	2 1/8” - 3 1/4”	7624-5104	5	39
A11-127	3 1/2” - 4 1/2”	7624-5105	6	43
ADD -“B” TO END OF PART NO. TO INCLUDE BOX				

ALL CLAMPS COME COMPLETE WITH WRENCH.
BOX SOLD SEPERATELY

KET TYPE "T" REPLACEMENT PARTS



REPLACEMENT PARTS FOR TYPE "T" SAFETY CLAMP

PART NO.	ITEM	DESCRIPTION	REFERENCE#	*SPARES	WT.
A11-111	1	SCREW	7624-A-5	1	4.00
A11-113	2	PIVOT BLOCK	7624-A-5000	1	1.50
A11-112	3	NUT	7624-B-5	1	1.50
A11-114	4	PIVOT BLOCK PIN	7624-D-5	2	.25
A11-119	5	PIVOT BLOCK PIN WRENCH	900533-12		.25
A11-115	6	NUT WRENCH	7624-A-25	1	3.50
A11-116	7	HANDLE	7624-A-22	1 SET	3.00
A11-117	8	HANDLE LINK PIN w/COTTER	7624-G-5	AS REQ'D	.75
A11-107	9	COTTER f/ LINK PIN	900620-36		.01
A11-101	10	LINK ASSY. COMPLETE	7624-B-7		5.00
A11-102	11	LINK INTERMEDIATE	7624-A-18	1 SET	3.75
A11-103	12	INSERT	7624-A-21	1 SET	.60
A11-104	13	COTTER f/ INSERT	900620-52		.01
A11-105	14	SPRING f/ INSERT	7624-B-21	1 SET	.01
A11-110-R	15	END LINK PIN RETAINER		1	.18
A11-106	16	LINK PIN w/ COTTER	7624-C-5	1 SET	.70
A11-108	17	END LINK (SCREW)	7624-A-20	1	4.50
A11-109	18	END LINK (PIVOT BLOCK)	7624-A-19	1	3.50
A11-110-RA	19	END LINK RETAINER WITH CHAIN			.30
A11-110-2	20	END LINK PIN RETAINER W/ CHAIN AND HANDLE PIN			1.14
A11-110-1	21	END LINK PIN W/ CHAIN & RETAINER ASSEMBLY		1	2.24
A11-110-S	22	END LINK PIN W/ CHAIN & RETAINER	7624-F-5		1.40
A11-110-4	N/P	END LINK PIN W/ CABLE AND RETAINER			1.30
A11-110	23	END LINK PIN WITH CHAIN			1.22
A11-110-3	N/P	END LINK PIN WITH CABLE			1.12
A11-120	N/P	SAFETY CLAMP BOX	7624-A-9		20.00

ALL PARTS ARE INTERCHANGEABLE WITH BAASH-ROSS® TYPE "T" SAFETY CLAMPS

** RECOMMENDED SPARE PARTS FOR 1 YEARS SERVICE



PRESSURE SYSTEM BUILDERS
PSBV
V I E T N A M

MALAYSIA: No. 49-1, Jalan 7/7A, 43650 Bandar Baru Bangi, Selangor

VIETNAM: 16 Yen The, Ward 2, Tan Binh District, HCMC

THAILAND: 245/19 Moo1 T.Khaorooopchang, Muang Songkhla, 90000

drilling@psbvn.com

+ 84 89 6677 890
WhatsApp/Line/Zalo