



RANGER
OILFIELD PRODUCTS, LLC.

PATRIOT 100
REMOTE OPERATED



drilling@psbvn.com



+84 89 6677 890
WhatsApp/Zalo/Phone



RANGER
OILFIELD PRODUCTS, LLC.

PATRIOT P100

REMOTE OPERATED

Hydraulic Requirements

Hydraulic Supply Pressure

Max: 2,900psi (20MPa) - 199.9bar

Min: 2,700psi (18.6MPa) - 186.2bar

Hydraulic Flow Rate

25 - 28gpm (94 - 106 lpm)

Spinner

Spin Speed (Rollers) 80 - 110rpm

Torque

Makeup 80,000.0ft.-lb max (108,465.4Nm)

Breakout 100,000.0ft.-lb max (135,581.8Nm)





drilling@psbvn.com




+84 89 6677 890
WhatsApp/Zalo/Phone

PATRIOT P100 DIMENSIONAL SPECS



PATRIOT P100

DIMENSIONAL SPECS




drilling@psbvn.com




+84 89 6677 890
WhatsApp/Zalo/Phone

PATRIOT P100
DIMENSIONAL SPECS



PATRIOT P100
DIMENSIONAL SPECS




drilling@psbvn.com



+84 89 6677 890
WhatsApp/Zalo/Phone

RANGER
OILFIELD PRODUCTS, LLC.

PATRIOT P100



drilling@psbvn.com



+84 89 6677 890
WhatsApp/Zalo/Phone



WILLIS OFFICE

17800 Old Danville Rd.
Willis, TX 77318

936.856.4182

MIDLAND OFFICE

8409 W. I-20, Suite 7
Midland, TX 79706

432.247.8924

drilling@psbvn.com

+84 89 6677 890

WhatsApp/Zalo/Phone



Leading with Innovative Technology

rangeloilfieldproducts.com